

**National Health and Nutrition Examination Survey  
Codebook for Data Release (1999-2000)**

**NHANES Composite International Diagnostic Interview-  
Major Depression Module (CIQMDEP)**

**Person level data -- use CIDI Weights for analysis**

**February 2005**

<b>SEQN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>WTSCI2YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 2 year MEC Weight
<b>English Text:</b> CIDI Subsample 2 year MEC Weight	
<b>English Instructions:</b>	

<b>WTSCI4YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 4 Year MEC Weight
<b>English Text:</b> CIDI Subsample 4 Year MEC Weight	
<b>English Instructions:</b>	

<b>WTSCI01</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 1
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 1	
<b>English Instructions:</b>	

<b>WTSCI02</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 2
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 2	
<b>English Instructions:</b>	

<b>WTSCI03</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 3
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 3	
<b>English Instructions:</b>	

<b>WTSCI04</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 4
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 4	
<b>English Instructions:</b>	

<b>WTSCI05</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 5
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 5	
<b>English Instructions:</b>	

<b>WTSCI06</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 6
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 6	
<b>English Instructions:</b>	

<b>WTSCI07</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 7
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 7	
<b>English Instructions:</b>	

<b>WTSCI08</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 8
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 8	
<b>English Instructions:</b>	

<b>WTSCI09</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 9
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 9	
<b>English Instructions:</b>	

<b>WTSCI10</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 10
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 10	
<b>English Instructions:</b>	

<b>WTSCI11</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 11
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 11	
<b>English Instructions:</b>	

<b>WTSCI12</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 12
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 12	
<b>English Instructions:</b>	

<b>WTSCI13</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 13
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 13	
<b>English Instructions:</b>	

<b>WTSCI14</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 14
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 14	
<b>English Instructions:</b>	

<b>WTSCI15</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 15
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 15	
<b>English Instructions:</b>	

<b>WTSCI16</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 16
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 16	
<b>English Instructions:</b>	

<b>WTSCI17</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 17
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 17	
<b>English Instructions:</b>	

<b>WTSCI18</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 18
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 18	
<b>English Instructions:</b>	

<b>WTSCI19</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 19
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 19	
<b>English Instructions:</b>	

<b>WTSCI20</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 20
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 20	
<b>English Instructions:</b>	

<b>WTSCI21</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 21
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 21	
<b>English Instructions:</b>	

<b>WTSCI22</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 22
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 22	
<b>English Instructions:</b>	

<b>WTSCI23</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 23
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 23	
<b>English Instructions:</b>	

<b>WTSCI24</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 24
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 24	
<b>English Instructions:</b>	

<b>WTSCI25</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 25
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 25	
<b>English Instructions:</b>	

<b>WTSCI26</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 26
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 26	
<b>English Instructions:</b>	

<b>WTSCI27</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 27
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 27	
<b>English Instructions:</b>	

<b>WTSCI28</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 28
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 28	
<b>English Instructions:</b>	

<b>WTSCI29</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 29
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 29	
<b>English Instructions:</b>	

<b>WTSCI30</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 30
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 30	
<b>English Instructions:</b>	

<b>WTSCI31</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 31
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 31	
<b>English Instructions:</b>	

<b>WTSCI32</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 32
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 32	
<b>English Instructions:</b>	

<b>WTSCI33</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 33
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 33	
<b>English Instructions:</b>	

<b>WTSCI34</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 34
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 34	
<b>English Instructions:</b>	

<b>WTSCI35</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 35
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 35	
<b>English Instructions:</b>	

<b>WTSCI36</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 36
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 36	
<b>English Instructions:</b>	



<b>WTSCI37</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 37
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 37	
<b>English Instructions:</b>	

<b>WTSCI38</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 38
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 38	
<b>English Instructions:</b>	

<b>WTSCI39</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 39
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 39	
<b>English Instructions:</b>	

<b>WTSCI40</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 40
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 40	
<b>English Instructions:</b>	

<b>WTSCI41</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 41
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 41	
<b>English Instructions:</b>	

<b>WTSCI42</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 42
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 42	
<b>English Instructions:</b>	

<b>WTSCI43</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 43
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 43	
<b>English Instructions:</b>	

<b>WTSCI44</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 44
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 44	
<b>English Instructions:</b>	

<b>WTSCI45</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 45
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 45	
<b>English Instructions:</b>	

<b>WTSCI46</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 46
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 46	
<b>English Instructions:</b>	

<b>WTSCI47</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 47
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 47	
<b>English Instructions:</b>	

<b>WTSCI48</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 48
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 48	
<b>English Instructions:</b>	

<b>WTSCI49</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 49
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 49	
<b>English Instructions:</b>	

<b>WTSCI50</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 50
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 50	
<b>English Instructions:</b>	

<b>WTSCI51</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 51
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 51	
<b>English Instructions:</b>	

<b>WTSCI52</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 52
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 52	
<b>English Instructions:</b>	

<b>CIAORDER</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Order in which CIDI modules are asked
<b>English Text:</b> Order in which CIDI modules are asked	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
0= Panic, GAD, Depression	
1= Depression, Panic, GAD	

<b>CIQD001</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Two weeks sad, empty, depressed?
<b>English Text:</b> In the past 12 months, have you had a period of two weeks or longer when you felt sad or depressed or empty?	
<b>English Instructions:</b> [THIS IS THE INTRO FOR THE 50% WHO START WITH PANIC: The next questions are about periods of being sad or depressed]	
[THIS IS THE INTRO FOR THE 50% WHO START WITH DEPRESSION AND THEN GO TO PANIC AND GAD: The next questions are about emotional problems that many people have. The first question is about periods of being sad or depressed.] (Collection name = E1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIQD008
7= Refuse	CIQD008
9= Don't know	CIQD008

<b>CIQD002</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Sad, empty, depressed (SED) frequency
<b>English Text:</b> Think of the two weeks during the past 12 months when this feeling was most persistent. During that two-week period, did you feel sad or depressed or empty every day, nearly every day, most days, about half the days, or less than half the days?	
<b>English Instructions:</b> (PROBE DK: What=s your best estimate? REPEAT RESPONSE CATEGORIES) (Collection name = E1A)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Every Day	
2= Nearly Every Day	
3= Most Days	
4= About Half the Days	CIQD008
5= Less than Half the Days	CIQD008
7= Refuse	CIQD008
9= Don't know	CIQD008

<b>CIQD003</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	SED duration
<b>English Text:</b> And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?	
<b>English Instructions:</b> (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES) (Collection name = E1B)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= All Day Long	
2= Most of the Day	
3= About Half	
5= Less than Half	CIQD008
7= Refuse	CIQD008
9= Don't know	CIQD008

<b>CIQD004</b>	<b>Target</b>
----------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When SED, also other problems?
<b>English Text:</b> Please look at Card C. People who have periods of being sad, depressed, or empty often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were sad, depressed or empty, did you also have any of these other problems?	
<b>English Instructions:</b> (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) (Collection name = E1C)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD008 CIQD008 CIQD008

<b>CIQD005</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When SED, did you lack energy?
<b>English Text:</b> For the next questions, please think of the two weeks during the past 12 months when you were sad, depressed, or empty and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?	
<b>English Instructions:</b> (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E1C_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD006</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When SED, did you lose interest?

**English Text:** During that two-week period, did you lose interest in most things like work, hobbies, and other things you usually enjoy?

**English Instructions:**

(Collection name = E1D)

**Codes:**

1= Yes

2= No

7= Refuse

9= Don't know

**Skip To Values:**

CIQD007	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	When SED, were you irritable or grouchy?

**English Text:** During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time?

**English Instructions:**

(Collection name = E1E)

**Codes:**

1= Yes

2= No

7= Refuse

9= Don't know

**Skip To Values:**

CIQD019

CIQD019

CIQD019

CIQD019

CIQD008	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Past 12 mos. 2 weeks lost interest?

**English Text:** In the past 12 months, have you had a period of two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?

**English Instructions:**

(Collection name = E2)

**Codes:**

1= Yes

2= No

7= Refuse

**Skip To Values:**

CIQD014

CIQD014

9= Don't know	CIQD014
---------------	---------

<b>CIQD009</b>	<b>Target</b>																
	B(20 Yrs. to 39 Yrs.)																
<b>Hard Edits</b>	<b>SAS Label</b>																
	Loss of interest frequency																
<p><b>English Text:</b> Think of the two weeks when this loss of interest was most persistent. During that two-week period, did you lose interest in things every day, nearly every day, most days, about half the days, or less than half the days?</p>																	
<p><b>English Instructions:</b> (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2A)</p>																	
<table> <tr> <td><b>Codes:</b></td><td><b>Skip To Values:</b></td></tr> <tr> <td>1= Every Day</td><td></td></tr> <tr> <td>2= Nearly Every Day</td><td></td></tr> <tr> <td>3= Most Days</td><td></td></tr> <tr> <td>4= About Half the Days</td><td>CIQD014</td></tr> <tr> <td>5= Less than Half the Days</td><td>CIQD014</td></tr> <tr> <td>7= Refuse</td><td>CIQD014</td></tr> <tr> <td>9= Don't know</td><td>CIQD014</td></tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	1= Every Day		2= Nearly Every Day		3= Most Days		4= About Half the Days	CIQD014	5= Less than Half the Days	CIQD014	7= Refuse	CIQD014	9= Don't know	CIQD014
<b>Codes:</b>	<b>Skip To Values:</b>																
1= Every Day																	
2= Nearly Every Day																	
3= Most Days																	
4= About Half the Days	CIQD014																
5= Less than Half the Days	CIQD014																
7= Refuse	CIQD014																
9= Don't know	CIQD014																

<b>CIQD010</b>	<b>Target</b>														
	B(20 Yrs. to 39 Yrs.)														
<b>Hard Edits</b>	<b>SAS Label</b>														
	Loss of interest duration														
<p><b>English Text:</b> And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?</p>															
<p><b>English Instructions:</b> (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES). (Collection name = E2B)</p>															
<table> <tr> <td><b>Codes:</b></td><td><b>Skip To Values:</b></td></tr> <tr> <td>1= All Day Long</td><td></td></tr> <tr> <td>2= Most of the Day</td><td></td></tr> <tr> <td>3= About half the days</td><td></td></tr> <tr> <td>4= Less than half the days</td><td>CIQD014</td></tr> <tr> <td>7= Refuse</td><td>CIQD014</td></tr> <tr> <td>9= Don't know</td><td>CIQD014</td></tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	1= All Day Long		2= Most of the Day		3= About half the days		4= Less than half the days	CIQD014	7= Refuse	CIQD014	9= Don't know	CIQD014
<b>Codes:</b>	<b>Skip To Values:</b>														
1= All Day Long															
2= Most of the Day															
3= About half the days															
4= Less than half the days	CIQD014														
7= Refuse	CIQD014														
9= Don't know	CIQD014														



<b>CIQD011</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When lost interest, also other problems?
<p><b>English Text:</b> Please look at Card C again. People who have periods of losing interest in most things often have other problems on this list at the same time. During the time that you lost interest in most things, did you also have any of these other problems?</p>	
<p><b>English Instructions:</b> (NOTE: COMPLEX QUESTION. READ CAREFULLY.) ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.) (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People who have periods of losing interest in most things often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time that you lost interest in most things, did you also have any of these other problems? (Collection name = E2C)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refuse</p> <p>9= Don't know</p>	<p><b>Skip To Values:</b></p> <p>CIQD014</p> <p>CIQD014</p> <p>CIQD014</p>

<b>CIQD012</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When lost interest, did you lack energy?
<p><b>English Text:</b> For the next questions, please think of the two weeks during the past 12 months when you lost interest in most things and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?</p>	
<p><b>English Instructions:</b> (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E2C_1)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refuse</p> <p>9= Don't know</p>	<p><b>Skip To Values:</b></p>

<b>CIQD013</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When lost interest, irritable/grouchy?
<b>English Text:</b> During that two-week period, did you feel irritable or grouchy or in a bad mood most of the time?	
<b>English Instructions:</b> (Collection name = E2D)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD019 CIQD019 CIQD019 CIQD019

<b>CIQD014</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Two weeks irritable most of the time?
<b>English Text:</b> In the past 12 months, Did you have a period of two weeks or longer when you were irritable or grouchy or in a bad mood most of the time?	
<b>English Instructions:</b> (READ SLOWLY) (Collection name = E2_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIDDSCOR CIDDSCOR CIDDSCOR

<b>CIQD015</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Irritable frequency
<b>English Text:</b> Think of the two weeks when this bad mood was most persistent. During that two-week period, did you feel irritable or grouchy or in a bad mood every day, nearly every day, most days, about half the days, or less than half the days?	
<b>English Instructions:</b> (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES).	

(Collection name = E2\_1A)

**Codes:**

- 1= Every Day
- 2= Nearly Every Day
- 3= Most Days
- 4= About Half the Days
- 5= Less than Half the Days
- 7= Refuse
- 9= Don't know

**Skip To Values:**

CIDDSCOR  
CIDDSCOR  
CIDDSCOR  
CIDDSCOR

<b>CIQD016</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Irritable duration

**English Text:** And did this feeling usually last all day long, most of the day, about half the day, or less than half the day?

**English Instructions:** (PROBE DK: What's your best estimate? REPEAT RESPONSE CATEGORIES).  
(Collection name = E2\_1B)

<b>Codes:</b>	<b>Skip To Values:</b>
1= Every Day	
2= Nearly Every Day	
3= Most Days	
4= About Half the Days	
5= Less than Half the Days	CIDDSCOR
7= Refuse	CIDDSCOR
9= Don't know	CIDDSCOR

<b>CIQD017</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When irritable, also other problems?

**English Text:** Please look at Card C again. People who have periods of being irritable or grouchy often have other problems on this list at the same time. During the time you were irritable or grouchy, did you also have any of these other problems?

**English Instructions:** ELSE USE THIS VERSION: (IVR: HAND CARD C TO R.)  
(NOTE: COMPLEX QUESTION. READ CAREFULLY.) Please look at Card C. People

who have periods of being irritable or grouchy often have other problems on this list at the same time, like changes in sleep or energy or appetite or concentration or feelings of low self-worth. During the time you were irritable or grouchy, did you also have any of these other problems?

(Collection name = E2\_1C)

**Codes:**

1= Yes

2= No

7= Refuse

9= Don't know

**Skip To Values:**

CIDDSCOR

CIDDSCOR

CIDDSCOR

<b>CIQD018</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When irritable, did you lack energy?
<p><b>English Text:</b> For the next questions, please think of the two weeks during the past 12 months when you were irritable and had the largest number of these other problems. During that two-week period, did you lack energy or feel tired all the time nearly every day, even when you had not been working very hard?</p>	
<p><b>English Instructions:</b> (IF R SAYS THERE WAS NO SINGLE TWO-WEEK PERIOD THAT STANDS OUT, SAY: Then think of the most recent two weeks of this sort.) (Collection name = E2_1C_1)</p>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refuse	
9= Don't know	

<b>CIQD019</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have less appetite?
<p><b>English Text:</b> (During that two-week period,) Did you have less appetite than usual almost every day?</p>	
<p><b>English Instructions:</b> (Collection name = E4)</p>	
<b>Codes:</b>	<b>Skip To Values:</b>

1= Yes  
 2= No  
 7= Refuse  
 9= Don't know

CIQD020	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you lose weight?
<b>English Text:</b> (During that two-week period,) Did you lose weight without trying to?	
<b>English Instructions:</b> (IF VOL: "On diet" OR "I tried to lose weight," CODE NO) (Collection name = E5)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD021

CIQD020Z	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> Check Point; IF CIQD019=YES GO TO CIQD025; ELSE GO TO CIQD022	

CIQD021	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Amount of weight lost
<b>English Text:</b> How much weight did you lose during that two week period?	
<b>English Instructions:</b> (IF RESPONSE > 100, ENTER 100.) POUNDS LOST (Collection name = E5A)	
<b>Codes:</b> 100= 100 + 777= Refuse	<b>Skip To Values:</b>

999= Don't know
-----------------

<b>CIQD021Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> Check Point; GO TO CIQD025	

<b>CIQD022</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have a larger appetite?
<b>English Text:</b> Did you have a much larger appetite than is usual for you almost every day during that two weeks?	
<b>English Instructions:</b> IF VOL: IF ONLY BECAUSE PREGNANT, CODE NO IF VOL: ONLY REGAINED WEIGHT LOST, CODE NO (Collection name = E6)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refuse  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQD023</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you gain weight?
<b>English Text:</b> (During that two-week period,) Did you gain weight?	
<b>English Instructions:</b> (Collection name = E7)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refuse  9= Don't know </div> </div> <div> <b>Skip To Values:</b> <div> CIQD025  CIQD025  CIQD025 </div> </div>	

<b>CIQD024</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Amount of weight gained
<b>English Text:</b> How much did you gain during that two week period?	
<b>English Instructions:</b> (IF RESPONSE > 100, ENTER 100.) NUMBER OF POUNDS (Collection name = E7A)	
<b>Codes:</b> 100= 100 + 777= Refuse 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQD025</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	During 2 weeks, trouble sleep?
<b>English Text:</b> Did you have a lot more trouble than usual sleeping for these two weeks -- either trouble falling asleep, waking in the middle of the night, or waking up too early?	
<b>English Instructions:</b> (Collection name = E8)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	
<b>Skip To Values:</b>	
CIQD028 CIQD028 CIQD028	

<b>CIQD026</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Frequency trouble sleeping
<b>English Text:</b> Did this happen every night, nearly every night, or less often during those two weeks?	
<b>English Instructions:</b> (Collection name = E8_1)	
<b>Codes:</b>	
<b>Skip To Values:</b>	

1= Every night	
2= Nearly every night	CIQD028
3= Less often`	CIQD028
7= Refuse	CIQD028
9= Don't know	CIQD028

CIQD027	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you wake up 2 hours early?
<b>English Text:</b> Did you wake up at least two hours before you wanted to every day during these two weeks?	
<b>English Instructions:</b> (Collection name = E8A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD028	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you sleep too much?
<b>English Text:</b> Did you sleep too much almost every day?	
<b>English Instructions:</b> (Collection name = E9)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD029	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label



	Felt bad first woke, better later?
<b>English Text:</b> (During that two-week period,) Did you feel particularly bad when you first got up, but felt better later in the day?	
<b>English Instructions:</b> (Collection name = E22)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD030</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was interest in sex less than usual?
<b>English Text:</b> (During that two-week period,) Was your interest in sex a lot less than usual?	
<b>English Instructions:</b> (Collection name = E23)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD031</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Lose ability to enjoy good things?
<b>English Text:</b> (During that two-week period,) Did you lose the ability to enjoy having good things happen to you, like winning something or being praised or complimented?	
<b>English Instructions:</b> (Collection name = E2_4)	
<b>Codes:</b> 1= Yes 2= No	<b>Skip To Values:</b>

7= Refuse
9= Don't know

<b>CIQD032</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you talk or move more slowly?
<b>English Text:</b> Did you talk or move more slowly than is normal for you almost every day during these two weeks?	
<b>English Instructions:</b> (Collection name = E10)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIQD034
7= Refuse	CIQD034
9= Don't know	CIQD034

<b>CIQD033</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did anyone notice...more slowly?
<b>English Text:</b> Did anyone else notice that you were talking or moving slowly?	
<b>English Instructions:</b> (Collection name = E10A)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIQD036
2= No	CIQD036
7= Refuse	CIQD036
9= Don't know	CIQD036

<b>CIQD034</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have to move all the time?
<b>English Text:</b> (During that two-week period,) Did you have to be moving all the time -- that is, you couldn't sit still and paced up and down or couldn't keep your hands still when	

sitting?	
<b>English Instructions:</b> (Collection name = E11)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD036 CIQD036 CIQD036

<b>CIQD035</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did anyone notice moving all the time?
<b>English Text:</b> Did anyone else notice that you were moving all the time?	
<b>English Instructions:</b> (Collection name = E11A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD036</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you feel worthless nearly every day?
<b>English Text:</b> (During that two-week period,) Did you feel worthless nearly every day?	
<b>English Instructions:</b> (Collection name = E12)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD037</b>	<b>Target</b>
----------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you feel guilty?
<b>English Text:</b> Did you feel guilty?	
<b>English Instructions:</b> (Collection name = E12A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD037Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD036 OR CIQD037 = YES, GO TO CIQD038. ELSE GO TO CIQD041	

<b>CIQD038</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was there reason worthless or guilty?
<b>English Text:</b> Was there a particular reason for feeling (worthless/or/guilty)?	
<b>English Instructions:</b> (PROBE: Any other reason?) RECORD OPEN-ENDED RESPONSE (Collection name = E12B)	
<b>Codes:</b> 1= Respondent Gives Reason 5= No Particular Reason 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD041 CIQD041 CIQD041

<b>CIQD040</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	Was R worthless/guilty about depression?
<b>English Text:</b> Was R worthless/guilty about depression?	
<b>English Instructions:</b> INTERVIEWER QUERY: DID R FEEL WORTHLESS OR GUILTY ONLY ABOUT BEING IMPAIRED BY DEPRESSION? (Collection name = E12C)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD041	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you feel not as good as others?
<b>English Text:</b> Did you feel that you were not as good as other people?	
<b>English Instructions:</b> (Collection name = E13)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD042	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did you have so little confidence...?
<b>English Text:</b> Did you have so little self-confidence that you wouldn't try to have your say about anything?	
<b>English Instructions:</b> (Collection name = E14)	
<b>Codes:</b> 1= Yes 2= No	<b>Skip To Values:</b>

7= Refuse 9= Don't know
----------------------------

<b>CIQD043</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have...trouble concentrating?
<b>English Text:</b> (During that two-week period,) Did you have a lot more trouble concentrating than is normal for you?	
<b>English Instructions:</b> (Collection name = E15)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD045

<b>CIQD044</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Unable to read...couldn't pay attention?
<b>English Text:</b> Were you unable to read things that usually interest you or watch television or movies you usually like because you couldn't pay attention to them?	
<b>English Instructions:</b> (Collection name = E15A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD045</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did thoughts come slower...?
<b>English Text:</b> (During that two-week period,) Did your thoughts come much slower than	

usual or seem mixed up?	
<b>English Instructions:</b> (Collection name = E16)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD046</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Were you unable to make up your mind...?
<b>English Text:</b> (During that two-week period,) Were you unable to make up your mind about things you ordinarily have no trouble deciding about?	
<b>English Instructions:</b> (Collection name = E17)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD047</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you think a lot about death?
<b>English Text:</b> (During that two-week period,) Did you think a lot about death?	
<b>English Instructions:</b> (Collection name = E18)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD048</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you think about committing suicide?
<b>English Text:</b> Did you feel so low you thought a lot about committing suicide?	
<b>English Instructions:</b> (Collection name = E19)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD050Z

<b>CIQD049</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you make a suicide plan?
<b>English Text:</b> Did you make a suicide plan?	
<b>English Instructions:</b> (Collection name = E19A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD050</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you attempt suicide?
<b>English Text:</b> Did you attempt suicide?	
<b>English Instructions:</b> (Collection name = E20)	
<b>Codes:</b> 1= Yes 2= No	<b>Skip To Values:</b>



7= Refuse  
9= Don't know

<b>CIQD050Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF NONE OF THE FOLLOWING ARE TRUE: {(CIQD005 = YES) OR (CIQD006 = YES) OR (CIQD007 = YES) OR (CIQD012 = YES) OR (CIQD013 = YES) OR (CIQD018 = YES) OR (CIQD019 = YES) OR (CIQD021 >= 10) OR (CIQD022 = YES) OR (CIQD024 >= 10) OR (CIQD026 IN 1,2) OR (CIQD028 = YES) OR (CIQD029 = YES) OR (CIQD030 = YES) OR (CIQD031 = YES) OR (CIQD032 = YES) OR (CIQD034 = YES) OR (CIQD040 = NO) OR (CIQD041 = YES) OR (CIQD042 = YES) OR (CIQD043 = YES) OR (CIQD045 = YES) OR (CIQD046 = YES) OR (CIQD047 = YES) OR (CIQD048 = YES)} THEN GO TO CIDDSCOR; ELSE CONTINUE	

<b>CIQD051</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. weeks SED... past 12 mos?
<b>English Text:</b> I'm going to review what you told me. You had a period of two weeks or longer when you (stem phrase)?You also had other problems at the same time. For example, you (fill with first 3 phrases endorsed on list), and had other problems you mentioned.	
<b>English Instructions:</b> (NOTE: COMPLEX QUESTION. READ CAREFULLY.) Think about all the weeks in the past 12 months when you (stem phrase) and also had (this/these/some of these)other problem(s) nearly every day. About how many weeks of this sort out of 52 did you have in the past 12 months? NUMBER OF WEEKS (Collection name = E66)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD051Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD051 LT 2 THEN GO TO CIDDSCOR; IF CIQD051 IN (2, 3, 51, 52) THEN GO TO CIQD054; IF CIQD051 IN (DK, REF) THEN GO TO CIQD053; ELSE CONTINUE	

<b>CIQD052</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was it 1 period or 2 or more?
<b>English Text:</b> Was this one period of ("NUMBER FROM CIQD051 weeks") in a row, or was it two or more periods that add up to ("NUMBER FROM CIQD051 weeks").	
<b>English Instructions:</b> (Collection name = E24)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= One Period	CIQD054
2= Two or more periods	CIQD064
7= Refuse	CIQD083
9= Don't know	CIQD083

<b>CIQD053</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was it one period or two or more?
<b>English Text:</b> Was this one period or was it two or more periods?	
<b>English Instructions:</b> (Collection name = E24_1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= One Period	
2= Two or more periods	CIQD064
7= Refuse	CIQD083
9= Don't know	CIQD083

<b>CIQD054</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Is the period still going on or ended?
<b>English Text:</b> Is this period still going on or has it ended?	
<b>English Instructions:</b> (Collection name = E24A)	
<b>Codes:</b> 1= Still going on 5= Ended 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD054Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (52, DK, REF) THEN GO TO CIQD055; IF CIQD054 IN (1, DK, REF) AND CIQD051 IN (2-51) THEN GO TO CIQD059; IF CIQD054 = 5 AND CIQD051 IN (48-52) THEN GO TO CIQD058; IF CIQD054 = 5 AND CIQD051 IN (27-47) THEN GO TO CIQD056; IF CIQD054 =5 AND CIQD051 < 27 THEN GO TO CIQD057	

<b>CIQD055</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How long has period been going on?
<b>English Text:</b> How long has this period been going on so far?	
<b>English Instructions:</b> (IF RESPONSE = DK, ENTER 998, IF RESPONSE = REF, ENTER 999). # OF MONTHS OR YEARS (Collection name = E24B)	
<b>Codes:</b> 777= Refuse 999= Don't know	<b>Skip To Values:</b>

<b>CIQD055Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> GO TO CIQD059	

<b>CIQD056</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When did it end -- past month or more?
<b>English Text:</b> When did it end -- in the past month or more than a month ago?	
<b>English Instructions:</b> (Collection name = E24C)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Past Month	CIQD059
2= More than a month ago	CIQD058
7= Refuse	CIQD058
9= Don't know	CIQD058

<b>CIQD057</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Ended past month, 6 months, more than 6?
<b>English Text:</b> When did it end -- in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = E24D)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Month	CIQD059
2= 6 Months	CIQD059
3= More than 6 months ago	
7= Refuse	
9= Don't know	

<b>CIQD058</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How long period before it ended?

<b>English Text:</b> How long did this period go on before it ended? (Answer has been converted to weeks)	
<b>English Instructions:</b> #OF WEEKS OR MONTHS OR YEARS (Collection name = E24E)	
<b>Codes:</b> 7777= Refuse 9999= Don't know	<b>Skip To Values:</b>

<b>CIQD059</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did period begin after someone died?
<b>English Text:</b> Did this period begin just after someone close to you died?	
<b>English Instructions:</b> (Collection name = E24F)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>   CIQD061 CIQD061 CIQD061

<b>CIQD060</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Who was it that died?
<b>English Text:</b> Who was it that died?	
<b>English Instructions:</b> (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E24G)	
<b>Codes:</b> 1= Spouse 2= Child 3= Parent/Sibling 4= Other Relative 5= Nonrelative 7= Refuse	<b>Skip To Values:</b> CIQD095 CIQD095 CIQD095 CIQD095 CIQD095 CIQD095

9= Don't know	CIQD095
---------------	---------

<b>CIQD061</b>	<b>Target</b>
	F(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did period begin w_in month of baby?
<b>English Text:</b> Did this period begin within a month of you having a baby?	
<b>English Instructions:</b> (Collection name = E24H)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD095

<b>CIQD062</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did anything else happen before period?
<b>English Text:</b> Did anything else happen shortly before this period began that might have caused it to happen?	
<b>English Instructions:</b> (Collection name = E24I)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD095 CIQD095 CIQD095 CIQD095

<b>CIQD064</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How many periods?
<b>English Text:</b> How many periods?	
<b>English Instructions:</b> NUMBER OF PERIODS (Collection name = E25)	

<b>Codes:</b>	<b>Skip To Values:</b>
77= Refuse	
99= Don't know	

<b>CIQD064Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD064 = 2 THEN GO TO CIQD065; IF CIQD064 > 2 THEN GO TO CIQD083	

<b>CIQD065</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Number of weeks before end?
<b>English Text:</b> How many weeks, months or years did the first of these periods go on before it ended? (Answers has been converted to weeks)	
<b>English Instructions:</b> (Collection name = E25A)	
<b>Codes:</b>	<b>Skip To Values:</b>
77= Refuse	
99= Don't know	

<b>CIQD066</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did 1st per begin after someone died?
<b>English Text:</b> Did this first period begin just after someone close to you died?	
<b>English Instructions:</b> (Collection name = E25B)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIQD068
7= Refuse	CIQD068
9= Don't know	CIQD068

<b>CIQD067</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Who was it that died?
<b>English Text:</b> Who was it that died?	
<b>English Instructions:</b> (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E25G)	
<b>Codes:</b> 1= Spouse 2= Child 3= Parent/Sibling 4= Other Relative 5= Nonrelative 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD071 CIQD071 CIQD071 CIQD071 CIQD071 CIQD071 CIQD071

<b>CIQD068</b>	<b>Target</b>
	F(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did period begin w_in month of baby?
<b>English Text:</b> Did this period begin within a month of you having a baby?	
<b>English Instructions:</b> (Collection name = E25D)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD071

<b>CIQD069</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did anything else happen before period?
<b>English Text:</b> Did anything else happen shortly before this period began that might have	



caused it to happen?	
<b>English Instructions:</b> (Collection name = E25E)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD071</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How long between two periods?
<b>English Text:</b> How much time went on between the end of this first period and the beginning of the second? (Answer has been converted to weeks)	
<b>English Instructions:</b> #OF WEEKS OR MONTHS OR YEARS (Collection name = E25G)	
<b>Codes:</b> 7777= Refuse 9999= Don't know	<b>Skip To Values:</b>

<b>CIQD071Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD071 < 8 WEEKS THEN GO TO CIQD074; ELSE CONTINUE	

<b>CIQD072</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you feel ok two months between?
<b>English Text:</b> Did you feel OK for at least two months between the two periods?	
<b>English Instructions:</b> (Collection name = E25H)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refuse	
9= Don't know	

<b>CIQD073</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have two mos. enjoy...?
<b>English Text:</b> Between these two periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began?	
<b>English Instructions:</b> (Collection name = E25I)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refuse	
9= Don't know	

<b>CIQD074</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Is second period going on or ended?
<b>English Text:</b> Is the second period still going on now or has it ended?	
<b>English Instructions:</b> (Collection name = E25O)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Still going on	
5= Ended	CIQD078
7= Refuse	CIQD078
9= Don't know	CIQD078

<b>CIQD075</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	How long went on before ended?
<b>English Text:</b> How long did it go on before it ended? (Answer has been converted to weeks)	
<b>English Instructions:</b> # OF DAYS OR WEEKS OR MONTHS (Collection name = E25P)	
<b>Codes:</b> 7777= Refuse 9999= Don't know	<b>Skip To Values:</b>

CIQD075Z	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD065-MAX(CIQD051-CIQD075,0)>0 THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075>=48 WEEKS THEN GO TO CIQD078; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 IN (27 WEEKS-47 WEEKS) THEN GO TO CIQD076; IF CIQD065-MAX(CIQD051-CIQD075,0)<=0 AND MAX(CIQD051-CIQD075,0)+CIQD071+CIQD075 < 27 THEN GO TO CIQD077	

CIQD076	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did it end past mos. or more than month?
<b>English Text:</b> When did it end -- in the past month or more than a month ago?	
<b>English Instructions:</b> (Collection name = E25Q)	
<b>Codes:</b> 1= Past Month 2= More than a month ago 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD078 CIQD078 CIQD078 CIQD078

CIQD077	Target
---------	--------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did it end past mos, past 6 mos or more?
<b>English Text:</b> When did it end -- in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = E25R)	
<b>Codes:</b> 1= Month 2= Past 6 Months 3= More than 6 months 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQD078</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did 2nd period begin after someone died?
<b>English Text:</b> Did this second period begin just after someone close to you died?	
<b>English Instructions:</b> (Collection name = E25J)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD080 CIQD080 CIQD080

<b>CIQD079</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Who was it that died?
<b>English Text:</b> < blank >	
<b>English Instructions:</b> (IF NEC: Who was it that died?) IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E25K)	
<b>Codes:</b>	<b>Skip To Values:</b>

1= Spouse	CIQD095
2= Child	CIQD095
3= Parent/Sibling	CIQD095
4= Other Relative	CIQD095
5= Nonrelative	CIQD095
7= Refuse	CIQD095
9= Don't know	CIQD095

CIQD080	Target
	F(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did 2nd period begin w_in a mon of baby?
<b>English Text:</b> Did this second period begin within a month of you having a baby?	
<b>English Instructions:</b> (Collection name = E25L)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD095

CIQD081	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Anything else happen before 2nd period?
<b>English Text:</b> Did anything else happen shortly before this second period began that might have caused it to happen?	
<b>English Instructions:</b> (Collection name = E25M)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD095 CIQD095 CIQD095 CIQD095

CIQD083	Target
---------	--------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	What is longest no weeks felt that way?
<b>English Text:</b> In the past 12 months, what was the longest number of weeks in a row that you felt that way?	
<b>English Instructions:</b> (RECORD FRACTIONAL RESPONSE ROUNDED TO LOWEST NUMBER OF WEEKS.) #NUMBER OF WEEKS (Collection name = E26X)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD084</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Is most recent of 4 periods on or ended?
<b>English Text:</b> Is the most recent of these (NUMBER FROM CIQD064) periods still going on or has it ended?	
<b>English Instructions:</b> (Collection name = E26)	
<b>Codes:</b> 1= Still going on 5= Ended 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD087  CIQD087 CIQD087

<b>CIQD085Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD051 IN (48-52) THEN GO TO CIQD087; IF CIQD051 IN (27-47) THEN GO TO CIQD085; IF CIQD051 < 27 THEN GO TO CIQD086	

<b>CIQD085</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	Ended past mos. or more than month?
<b>English Text:</b> When did it end -- in the past month or more than a month ago?	
<b>English Instructions:</b> (Collection name = E26A)	
<b>Codes:</b> 1= Past Month 2= More than a month ago 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD087 CIQD087 CIQD087 CIQD087

CIQD086	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Ended past mos, six months or more?
<b>English Text:</b> When did it end -- in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = E26B)	
<b>Codes:</b> 1= Month 2= Past 6 Months 3= More than 6 months 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD087	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	In between 4 periods, ok for 2 months?
<b>English Text:</b> In between any of these periods were you feeling OK for at least two months?	
<b>English Instructions:</b> (Collection name = E26C)	
<b>Codes:</b> 1= Yes, I did not feel O.K.	<b>Skip To Values:</b>

2= No, felt O.K. between episodes	CIQD089
7= Refuse	
9= Don't know	

CIQD088	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Between periods, 2 months activities?
<b>English Text:</b> Between these periods, did you have at least two months when you were able to carry out your daily activities and enjoy being with other people as much as before the first period began?	
<b>English Instructions:</b> (Collection name = E26E)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD089	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did 4 periods occur after someone died?
<b>English Text:</b> Think about what was going on in your life shortly before each of your periods of (being sad, depressed, or empty/losing interest in most things/being irritable) in the past 12 months. Did any of these periods occur just after someone close to you died?	
<b>English Instructions:</b> (Collection name = E26G)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQD092 CIQD092 CIQD092

CIQD090	Target
	B(20 Yrs. to 39 Yrs.)



Hard Edits	SAS Label
	Who was it that died?
<b>English Text:</b> Who was it that died?	
<b>English Instructions:</b> IF MULTIPLE RESPONSES, RECORD ONLY FIRST MENTION. (Collection name = E26H)	
<b>Codes:</b> 1= Spouse 2= Child 3= Parent/Sibling 4= Other Relative 5= Nonrelative 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIQD091	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Were all 4 periods after the death?
<b>English Text:</b> Were all these periods shortly after the death of someone close to you?	
<b>English Instructions:</b> (Collection name = E26I)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD095

CIQD092	Target
	F(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Did periods occur w_in mos. of baby?
<b>English Text:</b> Did any of these periods in the past 12 months occur within a month of you having a baby?	
<b>English Instructions:</b> (Collection name = E26J)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refuse	
9= Don't know	

<b>CIQD093</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Anything else happen before periods?
<b>English Text:</b> Did anything else happen shortly before any of these periods began that might have caused them to happen?	
<b>English Instructions:</b> (Collection name = E26L)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refuse	
9= Don't know	

<b>CIQD095</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	SED interfere with daily life?
<b>English Text:</b> Think about how your life and activities were affected in the past 12 months by your (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems. Did these problems interfere with your life or activities -- a lot, some, a little, or not at all?	
<b>English Instructions:</b> (Collection name = E27)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= A lot	
2= Some	
3= A little	
4= Not at all	CIQD109
7= Refused	
9= Don't know	

<b>CIQD096</b>	<b>Target</b>						
	B(20 Yrs. to 39 Yrs.)						
<b>Hard Edits</b>	<b>SAS Label</b>						
	No. days totally unable work						
<b>English Text:</b> About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of (being sad, depressed or empty/losing interest in most things/being irritable) and other related problems? You can answer with any number between 0 and 365.							
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27A)							
<table> <tr> <td><b>Codes:</b></td> <td><b>Skip To Values:</b></td> </tr> <tr> <td>777= Refused</td> <td></td> </tr> <tr> <td>999= Don't know</td> <td></td> </tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	777= Refused		999= Don't know	
<b>Codes:</b>	<b>Skip To Values:</b>						
777= Refused							
999= Don't know							

<b>CIQD096Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD096 = 0 GO TO CIQD099. IF CIQD096 = 1, GO TO CIQD097. ELSE GO TO CIQD098	

<b>CIQD097</b>	<b>Target</b>										
	B(20 Yrs. to 39 Yrs.)										
<b>Hard Edits</b>	<b>SAS Label</b>										
	Did day occur past 4 weeks?										
<b>English Text:</b> Did that day occur in the past 4 weeks?											
<b>English Instructions:</b> (Collection name = E27A_1)											
<table> <tr> <td><b>Codes:</b></td> <td><b>Skip To Values:</b></td> </tr> <tr> <td>1= Yes</td> <td>CIQD099</td> </tr> <tr> <td>2= No</td> <td>CIQD099</td> </tr> <tr> <td>7= Refuse</td> <td>CIQD099</td> </tr> <tr> <td>9= Don't know</td> <td>CIQD099</td> </tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	1= Yes	CIQD099	2= No	CIQD099	7= Refuse	CIQD099	9= Don't know	CIQD099
<b>Codes:</b>	<b>Skip To Values:</b>										
1= Yes	CIQD099										
2= No	CIQD099										
7= Refuse	CIQD099										
9= Don't know	CIQD099										

<b>CIQD098</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days totally past 4 weeks
<b>English Text:</b> How many of these days occurred in the past 4 weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27A_2)	
<b>Codes:</b> 777= Refuse 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQD099</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback amount/quality
<b>English Text:</b> [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of these problems? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27B)	
<b>Codes:</b> 777= Refuse 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQD099Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD099 = 0 GO TO CIQD103. ELSE CONTINUE	

<b>CIQD100</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Describe quantity/quality cutback

**English Text:** Thinking about (that cutback day/those # FROM CIQD099 cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those # FROM CIQD099 days)?

**English Instructions:** RECORD NUMBER BETWEEN 0 AND 100  
(Collection name = E27C)

**Codes:**

777= Refuse

999= Don't know

**Skip To Values:**

<b>CIQD100Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD100 = 1 GO TO CIQD101. ELSE GO TO CIQD102	

<b>CIQD101</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did cutback occur past 4 weeks?
<b>English Text:</b> Did that cutback day occur in the past 4 weeks?	
<b>English Instructions:</b> (Collection name = E27C_1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIQD103
2= No	CIQD103
7= Refuse	CIQD103
9= Don't know	CIQD103

<b>CIQD102</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback past 4 weeks
<b>English Text:</b> How many of these cutback days occurred in the past 4 weeks?	
<b>English Instructions:</b> NUMBER OF DAYS	

(Collection name = E27C_2)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD103</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme effort to work
<b>English Text:</b> [Not counting the day(s) you were totally unable to work /(or)/(you cut back on work,] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of (being sad/losing interest/being irritable)? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27X)	
<b>Codes:</b> 777= Refuse 999= Don't know	<b>Skip To Values:</b>

<b>CIQD103Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD103 = 0 GO TO CIQD106. IF CIQD103 = 1 GO TO CIQD104. ELSE GO TO CIQD105	

<b>CIQD104</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did extreme occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past 4 weeks?	
<b>English Instructions:</b> (Collection name = E27X_1)	
<b>Codes:</b>	<b>Skip To Values:</b>

1= Yes	CIQD106
2= No	CIQD106
7= Refuse	CIQD106
9= Don't know	CIQD106

<b>CIQD105</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme past 4 weeks
<b>English Text:</b> How many of these days occurred in the past 4 weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27X_2)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD106</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere personal life
<b>English Text:</b> And about how many days in the past 12 months did (being sad/losing interest/being irritable) and other related problems seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27D)	
<b>Codes:</b> 777= Refuse 999= Don't know	<b>Skip To Values:</b>

<b>CIQD106Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQD106 = 0 GO TO CIQD109. IF CIQD106 = 1 GO TO CIQD107. ELSE GO TO CIQD108	

<b>CIQD107</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did interfere occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past 4 weeks?	
<b>English Instructions:</b> (Collection name = E27D_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQD109 CIQD109 CIQD109 CIQD109

<b>CIQD108</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere past 4 weeks
<b>English Text:</b> How many of these days occurred in the past 4 weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = E27D_2)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD109</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tell MD about SED?
<b>English Text:</b> In the past 12 months, did you tell a doctor about (feeling sad, empty, or depressed/losing interest in most things/being irritable)?	
<b>English Instructions:</b> (Collection name = E28)	
<b>Codes:</b> 1= Yes 2= No	<b>Skip To Values:</b> CIQDPHA



7= Refuse 9= Don't know
----------------------------

<b>CIQDPA</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tell other prof about SED?
<b>English Text:</b> Did you tell other professional about being sad, empty, or depressed?	
<b>English Instructions:</b> (Collection name = E28PA1)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQDPD

<b>CIQDPB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you take medication for SED?
<b>English Text:</b> Did you take medication for being sad, empty, or depressed?	
<b>English Instructions:</b> (Collection name = E28PA2)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIQDPD

<b>CIQDPC</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did SED interfere with life?
<b>English Text:</b> Did being sad, empty, or depressed interfere with life?	
<b>English Instructions:</b> (Collection name = E28PA3)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIDDPRB
7= Refuse	CIDDPRB
9= Don't know	CIDDPRB

<b>CIQDPD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was SED result of physical illness?
<b>English Text:</b> Was being sad, empty, or depressed result of physical illness?	
<b>English Instructions:</b> (Collection name = E28PB1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIQDPN
2= No	
7= Refuse	
9= Don't know	

<b>CIQDPE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was SED result of MDA?
<b>English Text:</b> Was being sad, empty, or depressed result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = E28PC1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIDDPRB
7= Refuse	CIDDPRB
9= Don't know	CIDDPRB

<b>CIQDPF</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Was SED always result MDA?
<b>English Text:</b> Was being sad, empty, or depressed always result of medicine, drugs, alcohol?	
<b>English Instructions:</b> (Collection name = E28PC2)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIDDPRB CIDDPRB CIDDPRB CIDDPRB

<b>CIQDPHA</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said nerves causing SED
<b>English Text:</b> Doctor said nerves causing being sad, empty, or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 1= Doctor said nerves causing SED 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQDPHB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said stress causing SED
<b>English Text:</b> Doctor said stress causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 2= Doctor said stress causing SED	<b>Skip To Values:</b>

<b>CIQDPHC</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Doctor said anxiety causing SED
<b>English Text:</b> Doctor said anxiety causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 3= Doctor said anxiety causing SED	<b>Skip To Values:</b>

<b>CIQDPHD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said depression causing SED
<b>English Text:</b> Doctor said depression causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 4= Doctor said depression causing SED	<b>Skip To Values:</b>

<b>CIQDPHE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said mental illness causing SED
<b>English Text:</b> Doctor said mental illness causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 5= Doctor said mental illness causing SED	<b>Skip To Values:</b>

<b>CIQDPHF</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said medication causing SED
<b>English Text:</b> Doctor said medication causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b>	<b>Skip To Values:</b>

6= Doctor said medication causing SED

<b>CIQDPHG</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said drugs causing SED
<b>English Text:</b> Doctor said drugs causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 7= Doctor said drugs causing SED	<b>Skip To Values:</b>

<b>CIQDPHH</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said alcohol causing SED
<b>English Text:</b> Doctor said alcohol causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 8= Doctor said alcohol causing SED	<b>Skip To Values:</b>

<b>CIQDPHI</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said physical illness causing SED
<b>English Text:</b> Doctor said physical illness causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 9= Doctor said physical illness causing SED	<b>Skip To Values:</b>

<b>CIQDPHJ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Doctor said physical injury causing SED
<b>English Text:</b> Doctor said physical injury causing being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 10= Doctor said physical injury causing SED	<b>Skip To Values:</b>

<b>CIQDPHK</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor gave no definite diag for SED
<b>English Text:</b> Doctor gave no definite diagnosis for being sad, empty or depressed	
<b>English Instructions:</b> (Collection name = E28PD1)	
<b>Codes:</b> 11= Doctor gave no definite diagnosis for SED	<b>Skip To Values:</b>

<b>CIQDPHZZ</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF ANY OF CIQDPHA - CIQDPHE SELECTED THEN SKIP TO CIDDPRB; ELSE IF ANY OF CIQDPHI - CIQDPHH SELECTED THEN SKIP TO CIQDPJ; ELSE IF ANY OF CIQDPHI - CIQDPHJ SELECTED THEN SKIP TO CIQDPN; ELSE IF CIQDPHK SELECTED THEN SKIP TO CIQDPQ; ELSE IF REFUSED OR DON'T KNOW THEN SKIP TO CIDDPRB.	

<b>CIQDPJ</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was SED always result MDA?
<b>English Text:</b> Was being sad, empty or depressed always result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = E28PD3)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIDDPRB
2= No	
7= Refuse	
9= Don't know	

<b>CIQDPK</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was SED result of phys illness?
<b>English Text:</b> When being sad, empty, or depressed was not result of medicine, drugs, or alcohol, was being sad, empty, or depressed always the result of physical illness?	
<b>English Instructions:</b> (Collection name = E28PD4)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIDDPRB
2= No	CIDDPRB
7= Refuse	CIDDPRB
9= Don't know	CIDDPRB

<b>CIQDPQ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Anything abnormal when exam?
<b>English Text:</b> Anything abnormal when exam?	
<b>English Instructions:</b> (Collection name = E28PD10)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Nothing abnormal	CIDDPRB
2= No examination	CIDDPRB
5= Something abnormal	
7= Refused	CIDDPRB
9= Don't know	CIDDPRB

<b>CIQDPN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	Was SED always result of phys illness?
<b>English Text:</b> Was being sad, empty, or depressed always result of physical illness?	
<b>English Instructions:</b> (Collection name = E28PD8)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b> CIDDPRB

CIQDPO	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	When not ill,was SED always result MDA ?
<b>English Text:</b> When being sad, empty, or depressed not result of physical illness, was being sad, empty, or depressed always result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = E28PD7)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

CIDDPRB	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	General cause of problem
<b>English Text:</b> General cause of problem	
<b>English Instructions:</b> (Collection name = E28PRB)	
<b>Codes:</b> 1= No Problem 2= Not clinically significant 3= Medication, Drugs, or Alcohol	<b>Skip To Values:</b>



4= Physical cause  
5= Psychiatric Symptom

<b>CIQD110</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Remember age when first SED?
<b>English Text:</b> Can you remember your exact age the very first time in your life you had a period lasting two weeks or longer of (being sad, depressed, or empty/losing interest in most things/being irritable) and having some of the other problems we reviewed?	
<b>English Instructions:</b> (Collection name = E29)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIQD112
7= Refuse	CIQD112
9= Don't know	CIQD112

<b>CIQD111</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How old were you when first SED?
<b>English Text:</b> How old were you when first SED?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = E29A)	
<b>Codes:</b>	<b>Skip To Values:</b>
77= Refuse	

<b>CIQD111Z</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> GO TO CIDDSCOR	

<b>CIQD112</b>	<b>Target</b>
----------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	About how old when first SED?
<b>English Text:</b> About how old were you the first time you had a period of this sort?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = E29_1)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIQD113</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Earliest age period of SED
<b>English Text:</b> What's the earliest age you can clearly remember a particular time when you had a period of this sort?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = E29_2)	
<b>Codes:</b> 77= Refuse 99= Don't know	<b>Skip To Values:</b>

<b>CIDDSCOR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Depression Score
<b>English Text:</b> Depression Score	
<b>English Instructions:</b> (Collection name = DEP)	
<b>Codes:</b> 1= Positive Diagnosis 5= Negative Diagnosis	<b>Skip To Values:</b>